



ZIMAR

MADE IN THE U.S.A.

CATALOG 2019

2090 S.W. 71 TERRACE BLDG G-6
DAVIE, FLORIDA 33317

T: (954)424-3844 F: (954)424-9899
sales@zimarinternational.com
www.zimarinternational.com



STANDARD

METRIC

COLLAR

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.

MODEL

SIZE
m/m

WEIGHT
lbs.

MODEL

SIZE
inches

WEIGHT
lbs.



X-1	D: 3/4"	1.30
X-2	D: 7/8"	1.20
X-3	D: 1"	1.10
X-4	D: 1 1/8"	1.10
X-5	D: 1 1/4"	1.15
X-6	D: 1 3/8"	1.30
X-7	D: 1 1/2"	2.10
X-8	D: 1 3/4"	2.80
X-9	D: 2"	3.55
X-10	D: 2 1/4"	5.15
X-11	D: 2 1/2"	5.80
X-12	D: 2 3/4"	9.10
X-13	D: 3"	7.90
X-14	D: 3 1/4"	11.20
X-15	D: 3 1/2"	9.80
X-17	D: 4"	12.10
X-19	D: 4 1/2"	17.40
X-21	D: 5"	23.00
X-23	D: 5 1/2"	38.00
X-25	D: 6"	32.40
X-26	D: 6 1/2"	26.00

MX-25	D: 25mm	1.10
MX-30	D: 30mm	1.20
MX-35	D: 35mm	2.40
MX-40	D: 40mm	3.20
MX-45	D: 45mm	2.80
MX-50	D: 50mm	3.00
MX-55	D: 55mm	5.40
MX-60	D: 60mm	6.40
MX-65	D: 65mm	5.70
MX-70	D: 70mm	9.10
MX-75	D: 75mm	8.20
MX-80	D: 80mm	7.20
MX-85	D: 85mm	10.00
MX-90	D: 90mm	9.00
MX-95	D: 95mm	13.80
MX-100	D: 100mm	12.60
MX-105	D: 105mm	11.20
MX-110	D: 110mm	18.60
MX-115	D: 115mm	
MX-120	D: 120mm	25.20
MX-125	D: 125mm	23.60
MX-130	D: 130mm	22.00
MX-140	D: 140mm	38.00
MX-150	D: 150mm	33.50

C-3	D: 1"	1.20
C-4	D: 1 1/8"	1.15
C-5	D: 1 1/4"	1.10
C-6	D: 1 3/8"	1.75
C-7	D: 1 1/2"	1.70
C-8	D: 1 3/4"	2.70
C-9	D: 2"	2.40
C-10	D: 2 1/4"	2.00
C-11	D: 2 1/2"	
C-12	D: 2 3/4"	
C-13	D: 3"	6.00
C-14	D: 3 1/4"	
C-15	D: 3 1/2"	7.20
C-17	D: 4"	5.80
C-19	D: 4 1/2"	10.60
C-21	D: 5"	9.00
C-23	D: 5 1/2"	
C-25	D: 6"	15.40
MC-30	D: 30mm	1.00
MC-40	D: 40mm	1.50



SHAFTS ANODES

RUDDER & ROUND ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.	
	R-1	D: 1 7/8"	0.25		RP-4	D: 3 15/16" T: 1"	2.00	
	R-2	D: 2 15/16"	1.05			RP-5	D: 4 15/16" T: 1"	4.40
	R-3	D: 3 11/16"	1.70			RP-6 S	D: 5 3/4" T: 1"	6.20
	R-4	D: 4 9/32"	2.45			RP-6	D: 5 3/4" T: 1 1/2"	8.80
	R-5	D: 5 1/16"	3.55			RP-7	D: 6 5/8" T: 1"	7.80
	R-5 HD	D: 5 1/16"	5.10			RP-7 HD	D: 6 3/4" T: 2 5/8"	22.80
	R-7	D: 6 1/2"	9.70				RP-8	D: 7 3/4" T: 1"
	R-2s	D: 2 15/16"	0.48	RP-9	D: 8 3/4" T: 1"		14.90	
	R-7s	D: 6 1/2" T: 13/16"	4.85	RP-12	D: 11 1/8" T: 1"		25.00	
	AZ-125	D: 125mm T: 22mm	2.00		RP-6WC		D: 5 1/2" T: 2"	11.50
	AZ-140	D: 140mm T: 22mm	4.00					
	N-70	D: 70mm T: 19mm	0.85					
	N-90	D: 90mm T: 25mm	1.70					
	SL-6RD	D: 148mm T: 35mm	9.00					

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.

MODEL

SIZE
inches

WEIGHT
lbs.



RD-100

D: 100mm
T: 45mm

5.50



RD-3

D: 3"
T: 3/4"

0.50



RD-100s

D: 100mm
T: 22mm

2.50



RD-4

D: 4
T: 7/8"

1.50

RD-5

D: 5"
T: 1 1/8"

3.50

RD-140

D: 140mm
T: 1 1/2"

5.00

RD-6

D: 6"
T: 1 1/2"

5.50



HJD-100

D: 3 3/4"
T: 1"

2.50



KRD-2

D: 57mm
H: 25mm

0.50



HJD-4

D: 3 7/8"
H: 2"

4.50

KRD-3

D: 78mm
H: 45mm


2.50



VP-ES

D: 1 15/16
H: 1 7/16

1.00



STB-2

D: 40mm
H: 50mm

1.00

VP-EL

D: 1 15/16
H: 2 3/4

1.80



SRX-R

D: 1 1/4"
H: 3/4"

0.22



TD-1

D: 1"
H: 1 1/4"

0.22

ROUND ANODES 2



WELD-ON ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	K-5	L: 4 3/8" OL: 6 5/8" W: 1 3/4" T: 15/16" c/c: 5 1/2"	1.35		M-6x6	L: 6" OL: 10" W: 6" T: 1 1/4"	11.20
	P-1.3 K	L: 4 1/2" OL: 8 3/8" W: 2 7/8" T: 1 1/8"	3.10		Z-4	L: 6" OL: 10" W: 3 3/8" T: 1 3/4"	4.75
	P-1.5 K	L: 6 7/8" OL: 10 1/8" W: 2 1/2" T: 1 1/8"	3.50		Z-6	L: 8 1/2" OL: 12 1/2" W: 3" T: 1 1/2"	5.00
	P-2.5 K	L: 6 1/2" OL: 10" W: 3" T: 1 1/8"	5.00		M-24	L: 12" W: 6 1/2" OW: 10" T: 1 1/8"	20.00
	P-3 K	L: 8 1/2" OL: 12 1/2" W: 2 3/4" T: 1 1/2"	6.60		M-24 HD	L: 12" W: 6" OW: 10" T: 1 1/4"	22.50
	P-5 K	L: 11" OL: 14 3/4" W: 3 1/2" T: 1 9/16"	11.00		M-40	L: 12" W: 6" OW: 10" T: 2"	38.00
	P-7.5 K	L: 11 5/8" OL: 15 3/4" W: 4 1/8" T: 1 9/16"	16.50		MR-24	L: 14" W: 6 1/2" OW: 10" T: 1 1/4"	23.00
	P-10 K	L: 13 1/2" OL: 17 3/4" W: 4 3/4" T: 1 5/8"	23.00		M-12	L: 12 1/8" OL: 16" W: 3" T: 1 1/4"	11.57
	P-15 K	L: 14 1/4" OL: 18 3/4" W: 5 7/8" T: 2"	33.00		M-12 S	c/c: 14 3/8"	
	RIV-440	L: 13 1/4" OL: 18 3/4" W: 5 3/8" T: 1 1/8" c/c: 17 1/4"	21.00		FE-9	L: 6 3/4" OL: 11" W: 2 1/2" T: 1 1/4" c/c: 9"	5.20
					FE-10	L: 7 3/4" OL: 11 3/4" W: 3" T: 1 3/8" c/c: 10"	7.20

PLATE ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	A-20	L: 3 1/4" W: 2 3/4" T: 1/2"	1.06		A-50	L: 12" W: 6" T: 1/2"	8.80
	A-1 1/2x12	L: 12" W: 1 1/2" T: 1/2"	2.35		A-50 HD	L: 12" W: 6" T: 5/8"	11.85
	A-2x12	L: 12" W: 2" T: 1/2"	2.95		B-24	L: 24" W: 2" T: 1/2"	5.85
	A-3x12	L: 12" W: 3" T: 1/2"	4.70		B-48	L: 48" W: 2" T: 1/2"	11.90
	A-3x16	L: 16" W: 3" T: 1/2"	6.00		B-96	L: 96" W: 2" T: 1/2"	23.80
	A-6x6	L: 6" W: 6" T: 1/2"	4.70		M-12 WS	L: 12 1/8" W: 3" T: 1 1/4"	11.23
	A-40	L: 8 5/8" W: 3 1/4" T: 5/8"	4.05		M-24 WS	L: 12 1/8" W: 6" T: 1"	18.20
	ZP-1	L: 6 1/4" W: 5 7/8" T: 1/2" 5 HOLES	4.50				

BOLT-ON ANODES 1

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.	
	A-25	L: 9" W: 3 3/8" T: 7/8"	4.00	 	UM-5	L: 11" c/c: 5"	6.80	
	A-26	L: 9 1/4" W: 3 3/8" T: 7/8"	3.60		UM-6	L: 12" c/c: 6"	7.80	
	A-30	L: 6 1/4" W: 2 3/4" T: 9/16"	2.33		UM-7	L: 13" c/c: 7"	8.25	
	SR-12	L: 8 5/8" W: 4 1/4" T: 1 1/8" c/c: 5"	8.00		UM-8	L: 14" c/c: 8"	9.20	
	SR-24	L: 14" W: 6 1/2" T: 1 1/8" c/c: 5"	20.80		UM-9	L: 15" c/c: 9"	10.20	
	CL-12	L: 12" W: 3" T: 1 1/2" c/c: 8"	9.36		UM-10	L: 16" c/c: 10"	10.80	
	CL-18	L: 17 5/8" W: 3 3/4" T: 1 5/8"	18.00		UM-11	L: 17" c/c: 11"	11.00	
	CL-18HD	c/c: 9" T: 2 1/8"	27.00		UM-12	L: 18" c/c: 12"	12.30	
	SL-18	L: 18" W: 4" T: 1 3/8"	18.00		  	VP-140	L: 10 1/4" W: 3" T: 1" c/c: 5 1/2" or 140mm	6.00
		K-15				L: 15" W: 2" T: 1" c/c: 5 1/2"	6.20	
K-15 HD	W: 3"	10.00						
	MC-80	L: 8 1/4" W: 2 3/4" T: 1	5.00			BNTT-115H	L: 19" W: 3 1/4" T: 1 3/4" c/c: 6 1/4"	25.00
		c/c: 3 1/8" or 80mm						

BOLT-ON ANODES 2

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	UP-5	L: 12" W: 6 1/2" T: 1" c/c: 5"	18.20		SP-50	L: 12" W: 6" T: 1/2"	7.53
	UP-6	L: 12" W: 6 1/2" T: 1" c/c: 6"	18.20		SP-100	T: 1 1/8"	14.80
	UP-7	L: 12" W: 6 1/2" T: 1" c/c: 7"	18.20		Z-20	L: 3 3/4" W: 2 3/4" T: 9/16" c/c: 1 5/16"	0.55
	UP-8	L: 12" W: 6 1/2" T: 1" c/c: 8"	18.20		SRX-P	L: 2 5/8" W: 2 1/4" c/c: 2"	1.00
	TA-3	L: 6" W: 2 3/4" T: 7/8" c/c: 3"	2.75		AR-6	L: 6" W: 1 1/4" T: 1 1/8" c/c: 3 1/2"	1.80
	TA-4	L: 6 7/8" W: 3 3/8" T: 7/8" c/c: 4"	4.00		AR-7	L: 7" W: 1 15/16" T: 1 1/2" c/c: 5"	4.20
	TA-5	L: 7 7/8" W: 3 7/8" T: 1 3/16" c/c: 4 3/8"	8.10		VT-8	L: 5 7/8" W: 2 1/4" T: 1" c/c: 3 1/8" or 80mm	2.40
	TH-24	L: 12" W: 6" T: 1 1/4" c/c: 6 1/8"	21.00		VT-14	L: 9 1/4" W: 2 1/2" T: 1" c/c: 5 1/2" or 140mm	4.80
	TH-24HD	T: 1 1/2"	25.00				
	TH-3	L: 7 1/2" W: 3" T: 1 1/4"	6.30				

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.

MODEL

SIZE
inches

WEIGHT
lbs.

	TTI-1	L: 117mm W: 33mm T: 25mm c/c: 60mm	1.20
	FE-15	L: 228mm W: 32mm T: 25mm c/c: 150mm	2.50
	SL-12	L: 189mm W: 50mm T: 25mm c/c: 120mm	3.50
	AZP-77	L: 130mm W: 50mm T: 18mm c/c: 77mm	1.50
	AZ-STR	L: 100mm W: 52mm T: 22mm c/c: 60mm	1.50
	KSP-750	L: 57mm W: 57mm T: 25mm c/c: 19	1.00
	BLT-142BP	L: 114mm W: 63mm T: 28mm c/c: 40mm	2.50
	Z-6WS4	L: 8 1/2" W: 3" T: 1 1/4" c/c: 4"	4.00

BOLT-ON ANODES 3

PROP NUT ANODES 1

FIGURE	MODEL	SIZE	WEIGHT	IMAGE	MODEL	SIZE	WEIGHT			
		Millimeters	lbs.			inches	lbs.			
	AS-25	D: 33mm H: 39mm	0.25		FE-1	D: 50mm H: 65mm	1.20			
	AS-30	D: 41mm H: 54mm	0.50		FE-2	D: 59mm H: 90mm	2.50			
	AS-35	D: 47mm H: 60mm	0.80		FE-3	D: 73mm H: 89mm	4.80			
	AS-40	D: 54mm H: 66mm	1.00		FE-80	D: 155mm H: 117mm	26.50			
	AS-45	D: 60mm H: 73mm	1.80		FE-90	D: 155mm H: 90mm	25.00			
	AS-50	D: 73mm H: 82mm	2.65		FE-112	D: 203mm H: 165mm	61.00			
	AS-55	D: 76mm H: 85mm	2.20			WP-112	D: 6" H: 5 3/4"	28.60		
	AS-60	D: 82mm H: 98mm	4.25	WP-130		D: 6 7/8" H: 6 3/8"	40.00			
	AS-100	D: 95mm H: 95mm	5.60	WP-130L		D: 7 1/2" H: 7 1/2"	57.00			
	AZ-68S	D: 123mm H: 25mm	4.80		MC-70ZF	D: 146mm H: 99mm	14.00			
	AZ-70	D: 140mm H: 25mm	5.80							
	AZ-72	D: 165mm H: 32mm	10.80							
	AZ-74	D: 150mm H: 104mm	18.50		MC-105	D: 200mm H: 38mm	14.50			
	AZ-75	D: 178mm H: 44mm	12.00							
	AZ-75M	D: 171mm H: 44mm	7.50		RV-72	D: 140mm H: 98mm	18.80			
	AZ-105	D: 200mm H: 89mm	22.00							
	AZ-105M	D: 190mm H: 89mm	19.80							
								RV-80	D: 171mm H: 101mm	29.80
								UN-70	D: 140mm H: 89mm	15.00

PROP NUT ANODES 2

FIGURE	MODEL	SIZE	WEIGHT	IMAGE	MODEL	SIZE	WEIGHT
		Millimeters	lbs.			inches	lbs.
	SL-72	D: 137mm H: 22mm	4.40		BT-25	D: 1 5/16" H: 1 1/2"	0.20
	SL-88	D: 162mm H: 25mm	8.20		BT-30	D: 1 5/8" H: 2 1/16"	0.40
	SL-122	D: 206mm H: 25mm	13.00		BT-35	D: 1 7/8" H: 2 7/16"	0.80
	SL-126	D: 210mm H: 30mm	16.50		BT-40	D: 2 1/16" H: 2 5/8"	1.20
	SL-78	D: 165mm H: 91.5mm	19.50		BT-45	D: 2 7/16" H: H: 3"	1.80
	SL-86	D: 152mm H: 92mm	15.00		BT-50	D: 2 7/8" H: 3 1/4"	2.40
	SL-95	D: 200mm H: 73mm	25.00		BT-60	D: 3 7/8" H: 3 1/4"	4.00
	SL-104	D: 216mm H: 127mm	37.50		BT-100	D: 4 7/8" H: 3 1/2"	6.00
	SL-106	D: 200mm H: 130mm	23.00				
	SL-108	D: 240mm H: 130mm	45.00				
	SL-112	D: 150mm H: 47mm	11.50				
	BNTT-93PN	D: 146mm H: 51mm	11.00				
	BNTT-115PN	D: 162mm H: 51mm	14.80				
	BNTT-120PN	D: 191mm H: 70mm	30.00				
	BNTT-150PN	D: 200mm H: 76mm	35.00				
	BNTT-152PN	D: 230mm H: 64mm	47.50				
	BNTT-164PN	D: 162mm H: 89mm	36.50				
	BNTT-198PN	D: 240mm H: 50mm	34.00				

THRUSTER ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	SP-2	D: 1 3/4" H: 29/32"	0.35		AT-45	D: 2 5/8" H: 1 3/8" c/c: 1 3/4"	1.60
	VT-1	D: 1 29/32" H: 1 21/32"	0.65		AT-115	D: 4 7/16" H: 3" c/c: 3 7/16"	9.00
	VT-2	D: 2 25/64" H: 1 21/32"	1.10		AT-80	D: 3 1/8" H: 1 3/4"	3.00
	VT-3	D: 2 7/8" H: 2"	3.00		AT-110	D: 4 3/8" H: 2 3/8"	6.90
	W-B	D: 1 11/16" H: 2 1/16"	0.60				
	W-C	D: 2" H: 2 11/16"	1.20				
	W-D	D: 2 1/4" H: 2 15/16"	1.80				
	W-E	D: 2 3/4" H: 3 1/2"	4.00				
	W-F	D: 2 3/4" H: 3 3/8"	3.40				
	W-G	D: 3" H: 3 3/4"	4.50				
	BCS	D: 2 21/32" H: 2 9/32"	2.10				
	BNTT-115BT	D: 2 7/8" H: 3 1/4"	3.20				

ROUND BARS & WIRE ANODES

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.



Note: All of these models have the same length L: 24"

RB-1/2"	D: 1/2"	1.20
RB-5/8"	D: 5/8"	1.80
RB-3/4"	D: 3/4"	2.70
RB-7/8"	D: 7/8"	
RB-1"	D: 1"	4.80
RB-1 1/4"	D: 1 1/4"	7.50
RB-1 1/2"	D: 1 1/2"	11.20
RB-1 3/4"	D: 1 3/4"	14.80
RB-2"	D: 2"	20.60
RB-2 1/4"	D: 2 1/4"	
RB-2 1/2"	D: 2 1/2"	30.20
RB-2 3/4"	D: 2 3/4"	
RB-3"	D: 3"	43.40
RB-4"	D: 4"	77.80



BL-1 1/2 W	10 ft Cable	3.50
BL-3 W	10 ft Cable	6.50
BL-5 W	10 ft Cable	11.00



Z-6 W	10 ft Cable	4.80
-------	-------------	------