



ZIMAR

MADE IN THE U.S.A.

CATALOG 2024

2090 S.W. 71 TERRACE BLDG G-6

DAVIE, FLORIDA 33317

T: (954)424-3844 F: (954)424-9899

sales@zimarinternational.com

www.zimarinternational.com



STANDARD

METRIC

COLLAR

FIGURE

MODEL

SIZE
inchesWEIGHT
lbs.

MODEL

SIZE
m/mWEIGHT
lbs.

MODEL

SIZE
inchesWEIGHT
lbs.

X-1

D: 3/4"

1.3

X-2

D: 7/8"

1.2

X-3

D: 1"

1.1

X-4

D: 1 1/8"

1.1

X-5

D: 1 1/4"

1.2

X-6

D: 1 3/8"

1.3

X-7

D: 1 1/2"

2.1

X-8

D: 1 3/4"

2.8

X-9

D: 2"

3.6

X-10

D: 2 1/4"

5.2

X-11

D: 2 1/2"

5.8

X-12

D: 2 3/4"

9.1

X-13

D: 3"

7.9

X-14

D: 3 1/4"

11.2

X-15

D: 3 1/2"

9.8

X-17

D: 4"

12.1

X-19

D: 4 1/2"

17.4

X-21

D: 5"

23.0

X-23

D: 5 1/2"

38.0

X-25

D: 6"

32.4

X-26

D: 6 1/2'

26.0

MX-25

D: 25mm

1.1

MX-30

D: 30mm

1.2

MX-35

D: 35mm

2.4

MX-40

D: 40mm

3.2

MX-45

D: 45mm

2.8

MX-50

D: 50mm

3.0

MX-55

D: 55mm

5.4

MX-60

D: 60mm

6.4

MX-65

D: 65mm

5.7

MX-70

D: 70mm

9.1

MX-75

D: 75mm

8.2

MX-80

D: 80mm

7.2

MX-85

D: 85mm

10.0

MX-90

D: 90mm

9.0

MX-95

D: 95mm

13.8

MX-100

D: 100mm

12.6

MX-105

D: 105mm

11.2

MX-110

D: 110mm

18.6

MX-115

D: 115mm

MX-120

D: 120mm

25.2

MX-125

D: 125mm

23.6

MX-130

D: 130mm

22.0

MX-140

D: 140mm

38.0

MX-150

D: 150mm

33.5

C-3

D: 1"

1.2

C-4

D: 1 1/8"

1.2

C-5

D: 1 1/4"

1.1

C-6

D: 1 3/8"

1.8

C-7

D: 1 1/2"

1.7

C-8

D: 1 3/4"

2.7

C-9

D: 2"

2.4

C-10

D: 2 1/4"

2.0

C-11

D: 2 1/2"

C-12

D: 2 3/4"

C-13

D: 3"

6.0

C-14

D: 3 1/4"

C-15

D: 3 1/2"

7.2

C-17

D: 4"

5.8

C-19

D: 4 1/2"

10.6

C-21

D: 5"

9.0

C-23

D: 5 1/2"

C-25

D: 6"

15.4

MC-30

D: 30mm

1.0

MC-40

D: 40mm

1.5



SHAFTS ANODES

RUDDER & ROUND ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	R-1	D: 1 7/8"	0.3		RP-4	D: 3 15/16" T: 1"	2.0
	R-2	D: 2 15/16"	1.1		RP-5	D: 4 15/16" T: 1"	4.4
	R-3	D: 3 11/16"	1.7		RP-6 S	D: 5 3/4" T: 1"	6.2
	R-4	D: 4 9/32"	2.5		RP-6	D: 5 3/4" T: 1 1/2"	8.8
	R-5	D: 5 1/16"	3.6		RP-6 HD	D: 5 1/2" T: 2"	10.0
	R-5 HD	D: 5 1/16"	5.1		RP-7	D: 6 5/8" T: 1"	7.8
	R-7	D: 6 1/2"	9.7		RP-7 HD	D: 6 3/4" T: 2 5/8"	22.8
	R-2s	D: 2 15/16"	0.5		RP-8	D: 7 3/4" T: 1"	11.5
	R-7s	D: 6 1/2" T: 13/16"	4.9		RP-9	D: 8 3/4" T: 1"	14.9
	AZ-125	D: 125mm T: 22mm	2.0		RP-12	D: 11 1/8" T: 1"	25.0
	AZ-140	D: 140mm T: 22mm	4.0		RP-6WC	D: 5 1/2" T: 2"	11.5
	N-70	D: 70mm T: 19mm	0.9				
	N-90	D: 90mm T: 25mm	1.7				
	SL-6RD	D: 148mm T: 35mm	9.0				
	RP-135	D: 135mm T: 29mm	6.0				

ROUND ANODES 2

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	RD-100	D: 100mm T: 40mm	5.5		RD-3	D: 3" T: 3/4"	0.5
	RD-100s	D: 100mm T: 22mm	2.5		RD-4	D: 4" T: 7/8"	1.5
	HJD-100	D: 3 3/4" T: 1"	2.5		RD-5	D: 5" T: 1 1/8"	3.5
	HJD-4	D: 3 7/8" H: 2"	4.5		RD-140	D: 140mm T: 1 1/2"	5.0
	VP-ES	D: 1 15/16 H: 1 7/16	1.0		RD-6	D: 6" T: 1 1/2"	5.5
	VP-EL	D: 1 15/16 H: 2 3/4	1.8		KRD-2	D: 57mm H: 25mm	0.5
	TD-1	D: 1" H: 1 1/4"	0.2		KRD-3	D: 78mm H: 45mm	2.5
					STB-2	D: 40mm H: 50mm	1.0
					SRX-R	D: 1 1/4" H: 3/4"	0.2

WELD-ON ANODES



FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	K-5	L: 4 3/8" OL: 6 5/8" W: 1 3/4" T: 15/16" c/c: 5 1/2"	1.4		M-6x6	L: 6" OL: 10" W: 6" T: 1 1/4"	11.2
 	P-1.3 K	L: 4 1/2" OL: 8 3/8" W: 2 7/8" T: 1 1/8"	3.1		Z-4	L: 6" OL: 10" W: 3 3/8" T: 1 3/4"	4.8
	P-1.5 K	L: 6 7/8" OL: 10 1/8" W: 2 1/2" T: 1 1/8"	3.5		Z-6	L: 8 1/2" OL: 12 1/2" W: 3" T: 1 1/2"	5.0
	P-2.5 K	L: 6 1/2" OL: 10" W: 3" T: 1 1/8"	5.0		M-24	L: 12" W: 6 1/2" OW: 10" T: 1 1/8"	20.0
	P-3 K	L: 8 1/2" OL: 12 1/2" W: 2 3/4" T: 1 1/2"	6.6		M-24 HD	L: 12" W: 6" OW: 10" T: 1 1/4"	22.5
	P-5 K	L: 11" OL: 14 3/4" W: 3 1/2" T: 1 9/16"	11.0		M-40	L: 12" W: 6" OW: 10" T: 2"	38.0
	P-7.5 K	L: 11 5/8" OL: 15 3/4" W: 4 1/8" T: 1 9/16"	16.5		MR-24	L: 14" W: 6 1/2" OW: 10" T: 1 1/4"	23.0
	P-10 K	L: 13 1/2" OL: 17 3/4" W: 4 3/4" T: 1 5/8"	23.0		M-12	L: 12 1/8" OL: 16" W: 3" T: 1 1/4"	11.6
	P-15 K	L: 14 1/4" OL: 18 3/4" W: 5 7/8" T: 2"	33.0		M-12 S	c/c: 14 3/8"	
	RIV-440	L: 13 1/4" OL: 18 3/4" W: 5 3/8" T: 1 1/8" c/c: 17 1/4"	21.0		FE-9	L: 6 3/4" OL: 11" W: 2 1/2" T: 1 1/4" c/c: 9"	5.2
					FE-10	L: 7 3/4" OL: 11 3/4" W: 3" T: 1 3/8" c/c: 10"	7.2

PLATE ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	A-20	L: 3 1/4" W: 2 3/4" T: 1/2"	1.1		A-50	L: 12" W: 6" T: 1/2"	8.8
 	A-1 1/2x12	L: 12" W: 1 1/2" T: 1/2"	2.4		A-50 HD	L: 12" W: 6" T: 5/8"	11.9
	A-2x12	L: 12" W: 2" T: 1/2"	3.0		B-24	L: 24" W: 2" T: 1/2"	5.9
	A-3x12	L: 12" W: 3" T: 1/2"	4.7		B-48	L: 48" W: 2" T: 1/2"	11.9
	A-3x16	L: 16" W: 3" T: 1/2"	6.0		B-96	L: 96" W: 2" T: 1/2"	23.8
	A-6x6	L: 6" W: 6" T: 1/2"	4.7		M-12 WS	L: 12 1/8" W: 3" T: 1 1/4"	11.2
	A-40	L: 8 5/8" W: 3 1/4" T: 5/8"	4.1		M-24 WS	L: 12 1/8" W: 6" T: 1"	18.2
	ZP-1	L: 6 1/4" W: 5 7/8" T: 1/2" 5 HOLES	4.5				



BOLT-ON ANODES 1

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	A-25	L: 9" W: 3 3/8" T: 7/8"	4.0	 	UM-5	L: 11" c/c: 5"	6.8
	A-26	L: 9 1/4" W: 3 3/8" T: 7/8"	3.6		UM-6	L: 12" c/c: 6"	7.8
	A-30	L: 6 1/4" W: 2 3/4" T: 9/16"	2.3		UM-7	L: 13" c/c: 7"	8.3
	SR-12	L: 8 5/8" W: 4 1/4" T: 1 1/8" c/c: 5"	8.0		UM-8	L: 14" c/c: 8"	9.2
	SR-24	L: 14" W: 6 1/2" T: 1 1/8" c/c: 5"	20.8		UM-9	L: 15" c/c: 9"	10.2
	CL-12	L: 12" W: 3" T: 1 1/2" c/c: 8"	9.4		UM-10	L: 16" c/c: 10"	10.8
	CL-18	L: 17 5/8" W: 3 3/4" T: 1 5/8" c/c: 9"	18.0		UM-11	L: 17" c/c: 11"	11.0
	CL-18HD	T: 2 1/8"	27.0		UM-12	L: 18" c/c: 12"	12.3
	SL-18	L: 18" W: 4" T: 1 3/8" c/c: 7 1/4-9 1/4"	18.0		UM-13	L: 19" c/c: 13"	12.8
	K-15	L: 15" W: 2" T: 1" c/c: 5 1/2"	6.2		UM-14	L: 20" c/c: 14"	13.4
	K-15 HD	W: 3"	10.0		UM-15	L: 21" c/c: 15"	14.6
					VP-140	L: 10 1/4" W: 3" T: 1" c/c: 5 1/2" or 140mm	6.0
					VP-150	L: 13 3/8" W: 3" T: 1" c/c: 150mm	10.5
					BN11-115H	L: 19" W: 3 1/4" T: 1 3/4" c/c: 6 1/4"	25.0



BOLT-ON ANODES 2

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	UP-5	L: 12" W: 6 1/2" T: 1" c/c: 5"	18.2		SP-50	L: 12" W: 6" T: 1/2"	9.5
	UP-6	L: 12" W: 6 1/2" T: 1" c/c: 6"	18.2		SP-100	L: 12" W: 6" T: 1 1/8"	14.8
	UP-7	L: 12" W: 6 1/2" T: 1" c/c: 7"	18.2		Z-20	L: 3 3/4" W: 1 3/4" T: 9/16" c/c: 1 5/16"	0.6
	UP-8	L: 12" W: 6 1/2" T: 1" c/c: 8"	18.2		SRX-P	L: 2 5/8" W: 2 1/4" c/c: 2"	1.0
	TA-3	L: 6" W: 2 3/4" T: 7/8" c/c: 3"	2.8		AR-6	L: 6" W: 1 1/4" T: 1 1/8" c/c: 3 1/2"	1.8
	TA-4	L: 6 7/8" W: 3 3/8" T: 7/8" c/c: 4"	4.0		AR-7	L: 7" W: 1 15/16" T: 1 1/2" c/c: 5"	4.2
	TA-5	L: 7 7/8" W: 3 7/8" T: 1 3/16" c/c: 4 3/8"	8.1		VT-8	L: 5 7/8" W: 2 1/4" T: 1" c/c: 3 1/8" or 80mm	2.4
	TH-24	L: 12" W: 6" T: 1 1/4" c/c: 6 1/8"	21.0		VT-14	L: 9 1/4" W: 2 1/2" T: 1" c/c: 5 1/2" or 140mm	4.8
	TH-24HD	L: 12" W: 6" T: 1 1/2" c/c: 6 1/8"	25.0				

BOLT-ON ANODES 3

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	TTI-1	L: 117mm W: 33mm T: 25mm c/c: 60mm	1.2		MC-80	L: 8 1/4" W: 2 3/4" T: 1 c/c: 3 1/8" or 80mm	5.0
	FE-15	L: 228mm W: 32mm T: 25mm c/c: 150mm	2.5		AZ-12	L: 7 1/4" W: 2" c/c: 120mm	3.0
	SL-12	L: 189mm W: 50mm T: 25mm c/c: 120mm	3.5		TH-3	L: 7 1/2" W: 3" T: 1 1/4" c/c: 3"	6.3
	AZP-77	L: 130mm W: 50mm T: 18mm c/c: 77mm	1.5		TA-100	L: 3 1/2" W: 4" T: 2" c/c: 100mm	11.5
	HT-80	L: 118mm W: 32mm T: 20mm c/c: 80mm	1.5		FKC-7	L: 7" W: 2" T: 1" c/c: 3 1/4"	3.0
	KSP-750	L: 57mm W: 57mm T: 25mm c/c: 19mm	1.0				
	BLT-142BP	L: 114mm W: 63mm T: 28mm c/c: 40mm	2.5				
	Z-6WS4	L: 8 1/2" W: 3" T: 1 1/4" c/c: 4"	4.0				
	AZ-STR	L: 100mm W: 52mm T: 22mm c/c: 60mm	1.5				

PROP NUT ANODES 1

FIGURE	MODEL	SIZE Millimeters	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	AS-25	D: 33mm H: 39mm	0.3		FE-1	D: 50mm H: 65mm	1.2
	AS-30	D: 41mm H: 54mm	0.5		FE-2	D: 59mm H: 90mm	2.5
	AS-35	D: 47mm H: 60mm	0.8		FE-3	D: 73mm H: 89mm	4.8
	AS-40	D: 54mm H: 66mm	1.0		FE-80	D: 155mm H: 117mm	26.5
	AS-45	D: 60mm H: 73mm	1.8		FE-90	D: 155mm H: 90mm	25.0
	AS-50	D: 73mm H: 82mm	2.7		FE-112	D: 203mm H: 165mm	61.0
	AS-55	D: 76mm H: 85mm	2.2		WP-96	D: 5 3/8" H: 5" F to F: 3.62"	19.5
	AS-60	D: 82mm H: 98mm	4.3		WP-112	D: 6" H: 5 3/4" F to F: 4.13"	28.6
	AS-100	D: 95mm H: 95mm	5.6		WP-130	D: 6 7/8" H: 6 3/8" F to F: 4.75"	40.0
	AZ-68S	D: 123mm H: 25mm	4.8		WP-130L	D: 7 1/2" H: 7 1/2" F to F: 5.5"	57.0
	AZ-70	D: 140mm H: 25mm	5.8				
	AZ-72	D: 165mm H: 32mm	10.8				
	AS-72	D: 125mm H: 90mm	12.0		MC-105	D: 200mm H: 38mm	14.5
	AZ-74	D: 150mm H: 104mm	18.5				
	AZ-75	D: 178mm H: 44mm	12.0		MC-70ZF	D: 146mm H: 99mm	14.0
	AZ-75M	D: 171mm H: 44mm	7.5		AZ-115	D: 160mm H: 53mm	19.5
	AZ-105	D: 200mm H: 89mm	22.0				
	AZ-105M	D: 190mm H: 89mm	19.8				

PROP NUT ANODES 2

FIGURE	MODEL	SIZE Millimeters	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	SL-72	D: 137mm H: 22mm	4.4		BT-25	D: 1 5/16" H: 1 1/2"	0.2
	SL-88	D: 162mm H: 25mm	8.2		BT-30	D: 1 5/8" H: 2 1/16"	0.4
	SL-122	D: 206mm H: 25mm	13.0		BT-35	D: 1 7/8" H: 2 7/16"	0.8
	SL-126	D: 210mm H: 30mm	16.5		BT-40	D: 2 1/16" H: 2 5/8"	1.2
	SL-78	D: 165mm H: 91.5mm	19.5		BT-45	D: 2 7/16" H: H: 3"	1.8
	SL-86	D: 152mm H: 92mm	15.0		BT-50	D: 2 7/8" H: 3 1/4"	2.4
	SL-95	D: 200mm H: 73mm	25.0		BT-60	D: 3 7/8" H: 3 1/4"	4.0
	SL-104	D: 216mm H: 127mm	37.5		BT-100	D: 4 7/8" H: 3 1/2"	6.0
	SL-106	D: 200mm H: 130mm	23.0		NH-83	D: 5" H: 3 7/8"	17.5
	SL-108	D: 240mm H: 130mm	45.0		NH-92	D: 5 3/4" H: 4"	20.0
	SL-112	D: 150mm H: 47mm	11.5		RV-72	D: 140mm H: 98mm	18.8
	BNTT-93PN	D: 146mm H: 51mm	11.0		RV-80	D: 171mm H: 101mm	29.8
	BNTT-115PN	D: 162mm H: 51mm	14.8		UN-70	D: 140mm H: 89mm	15.0
	BNTT-120PN	D: 191mm H: 70mm	30.0				
	BNTT-150PN	D: 200mm H: 76mm	35.0				
	BNTT-152PN	D: 230mm H: 64mm	47.5				
	BNTT-164PN	D: 162mm H: 89mm	36.5				
	BNTT-198PN	D: 240mm H: 50mm	34.0				

THRUSTER ANODES

FIGURE	MODEL	SIZE inches	WEIGHT lbs.		MODEL	SIZE inches	WEIGHT lbs.
	SP-2	D: 1 3/4" H: 29/32" F to F: 0.75"	0.4		AT-45	D: 2 5/8" H: 1 3/8" c/c: 1 3/4"	1.6
	VT-1	D: 1 29/32" H: 1 21/32" F to F: 1"	0.7		AT-115	D: 4 7/16" H: 3" c/c: 3 7/16"	9.0
	VT-2	D: 2 25/64" H: 1 21/32" F to F: 1"	1.1		AT-80	D: 3 1/8" H: 1 3/4"	3.0
	VT-3	D: 2 7/8" H: 2" F to F: 1.25"	3.0		AT-110	D: 4 3/8" H: 2 3/8"	6.9
					BCS	D: 2 21/32" H: 2 9/32" F to F: 1.18"	2.1
	W-B	D: 1 11/16" H: 2 1/16"	0.6				
	W-C	D: 2" H: 2 11/16"	1.2				
	W-D	D: 2 1/4" H: 2 15/16"	1.8				
	W-E	D: 2 3/4" H: 3 1/2"	4.0				
	W-F	D: 2 3/4" H: 3 3/8"	3.4				
	W-G	D: 3" H: 3 3/4"	4.5				
	W-H	D: 3 3/8" H: 4"	5.5				
	BNTT-115BT	D: 2 7/8" H: 3 1/4"	3.2				

ROUND BARS / PENCIL ZINCS & WIRE ANODES

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.

FIGURE

MODEL

SIZE
inches

WEIGHT
lbs.



Note: All of these models
have the same length
L: 24"

RB-1/2"	D: 1/2"	1.2
RB-5/8"	D: 5/8"	1.8
RB-3/4"	D: 3/4"	2.7
RB-7/8"	D: 7/8"	
RB-1"	D: 1"	4.8
RB-1 1/4"	D: 1 1/4"	7.5
RB-1 1/2"	D: 1 1/2"	11.2
RB-1 3/4"	D: 1 3/4"	14.8
RB-2"	D: 2"	20.6
RB-2 1/4"	D: 2 1/4"	
RB-2 1/2"	D: 2 1/2"	30.2
RB-2 3/4"	D: 2 3/4"	
RB-3"	D: 3"	43.4
RB-4"	D: 4"	77.8



E-0C	3/8 X 1 3/4"	0.07
E-0Z	3/8 X 1 3/4"	0.06
E-1C	1/2 X 2"	0.17
E-1Z	1/2 X 2"	0.10
E-2C	5/8 X 2"	0.30
E-2Z	5/8 X 2"	0.16
E-3C	3/4 X 2"	0.46
E-3Z	3/4 X 2"	0.21
E-4C	3/4 X 3 3/8"	0.60
E-4Z	3/4 X 3 3/8"	0.35



BL-1 1/2 W	10 ft Cable	3.0
BL-3 W	10 ft Cable	6.5
BL-5 W	10 ft Cable	11.0



Z-6 W	10 ft Cable	4.8
-------	-------------	-----